STATE OF ARKANSAS

Department of Pollution
P. O. Box 8913 Little Ro

Department of Pollution Control and Ecology
P. O. Box 8913 Little Rock, Arkansas 72219-8913
Telephone 501-562-7444

Form Approved. OMB No. 2050-0039. Expires 9-30-94

WASTE MANIFEST CADO 86510005	anifest ument No. 5302		required b Manifest Document N	-	law.
3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: Rob Tuell C6-59 19503 South Normandle Avenue Torrance CA 90502 (310) 533- 7926 or (310) 533- 7231 4. Generator's Phone (AR- B. State H	63530 Generator's ID	2 00	5698
5. Transporter 1 Company Name Laidlaw Environmental Services of CA, Inc. 7. Transporter 2 Company Name US EPA ID Number 8. US EPA ID Number US EPA ID Number	1 2 1	D. Trans E. State F. Trans	porter's Ph(310) Transporter's ID porter's Phone Facility's ID		14 8 н 5559 - 4700 н
Rineco Chemical Industries 10.7 Vulcan- Haskell Road Benton AR 72105 A R D 9 8 1 0 5 7			ty's Phone (501) 77	'8-90	189
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Conta	iners Type	13. Total Quantity	14. Unit Wt/Vol	l. Waste No.
*Waste paint related material, 3, UN1263, PG III, RQ (D001,D007, F002, F003, F005, D035)	0013	DΜ	0 1 3 3 0	Р	461
^b Hazardous waste, solid, n.o.s., 9, NA3077, PG III, (D007, D008, D035),RQ	0 0 1	DM L	0 0 0 7 5	P	25 352 C255 D007
^o Hazardous waste, solid, n.o.s., 9, NA3077, PG III, (D007, F002, F003, F005)	0 0 1	ВА	01091610	P	F002
Hazardous waste, solid, n.o.s., 9, NA3077, PG III, (D007)		DM		P	181
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03)	0 0 8 35)	K. Han	dling Codes for Waste	SE INFO	RMATION:
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03 11b. 9401-0354. Sealant tubes (D008) 11c. 9401-0355. Production rags (D007, F005)		K. Han EME 24 I (80)		SE INFO respons nemtrec) n Tuell).	bove RMATION: se telephone #
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03 11b. 9401-0354. Sealant tubes (D008) 11c. 9401-0355. Production rags (D007, F005) 11d. 9401-0352. Paint litters and paint cont. debris. if no alternate ISDF, return to generator 15. Special Handling Instructions and Additional Information 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully classified, packed, marked, and labeled, and are in all respects in proper condition for transp government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volumn and economically practicable and that I have selected the practicable method of treatment, storage, or future threat to human health and the environment; OR, if I am a small quantity generator, I have method that I can afford.	and accura	K. Han EME 241 (80) (31) DC	agency Responsional Property (a) 424-9300 (Cr. b) 533-7231 (Rol T FRG# 11a) 26. Secribed above by periodical penerated to the degraph of the	SE INFO respons remtrec to Tuell) b)31 c)3	phove RMATION: ie telephone # ipping name and a national and nation ave determined to be nizes the present argeneration and sele
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03, F005,	and accura	K. Han EME 241 (80) (31) DC	agency Responsional Property (a) 424-9300 (Cr. b) 533-7231 (Rol T FRG# 11a) 26. Secribed above by periodical penerated to the degraph of the	SE INFO respons remtrec to Tuell) b)31 c)3	mipping name and a national and national and national and national are determined to brizes the present argeneration and sele
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03 11b. 9401-0354. Sealant tubes (D008) 11c. 9401-0355. Production rags (D007, F005) 11d. 9401-0352. Paint litters and paint cont. debris. if no alternate ISDF, return to generator 15. Special Handling Instructions and Additional Information 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully classified, packed, marked, and labeled, and are in all respects in proper condition for transp government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volumn and economically practicable and that I have selected the practicable method of treatment, storage, or future threat to human health and the environment; OR, if I am a small quantity generator, I have method that I savailable to me and that I can afford. Printed/Typed Name Robert G. Tuell, Jr. 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Printed/Typed Name Signature Printed/Typed Name Signature	and accura	K. Han EME 241 (80) (31) DC	agency Responsional Responsiona	SE INFO respons remtrec to Tuell) b)31 c)3	mipping name and a national and national and national and national are determined to brizes the present argeneration and sele
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03 11b. 9401-0354. Sealant tubes (D008) 11c. 9401-0355. Production rags (D007, F005) 11d. 9401-0352. Paint filters and paint cont. debris. If no alternate TSDF, return to generator 15. Special Handling Instructions and Additional Information 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully classified, packed, marked, and labeled, and are in all respects in proper condition for transp government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volumn and economically practicable and that I have selected the practicable method of treatment, storage, or future threat to human health and the environment; OR, if I am a small quantity generator, I have method that is available to me and that I can afford. Printed/Typed Name Robert G. Tuell, Jr. 17. Transporter 1 Acknowledgement of Receipt of Materials	and accura	K. Han EME 241 (80) (31) DC	agency Responsional Responsiona	SE INFO respons remtrec to Tuell) b)31 c)3	ipping name and a national and national and national and national and national and selection and sel
J. Additional Descriptions for Materials Listed Above 11a. 9401-0353. Paint sludge and solvents. (D007, F002, F003, F005, D03 11b. 9401-0354. Sealant tubes (D008) 11c. 9401-0355. Production rags (D007, F005) 11d. 9401-0352. Paint litters and paint cont. debris. If no alternate ISDF, return to generator 15. Special Handling Instructions and Additional Information 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully classified, packed, marked, and labeled, and are in all respects in proper condition for transp government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volumn and economically practicable and that I have selected the practicable method of treatment, storage, or future threat to human health and the environment; OR, if I am a small quantity generator, I have me the best waste management method that is available to me and that I can afford. Printed/Typed Name Robert G. Tuell, Jr. 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Robert G. Acknowledgement of Receipt of Materials Signature Signature Signature Signature Signature Acknowledgement of Receipt of Materials	and accura ort by high I toxicity of disposal cu ade a good	K. Han EME 241 (80) (31) DC	agency Responsional Responsiona	SE INFO respons remtrec to Tuell) b)31 c)3	ipping name and an national and national and national and national and national and selection and se

RINECO

629 Vulcan Rd - Haskell Benton, AR 72015

501-778-9089

(FAX) 501-778-8505

Manifest Correction Report

DATE:

6/15/94

TIME:

10:00

REGION:

5-SF

GENERATOR:

Douglas Aircraft Company (IT CORP)

GENERATOR CONTACT: Fred Wendland

CITY / STATE:

Torrance

, CA

MANIFEST#:

AR-635302

CORRECTIONS MADE:

- 1.) List D035 in block I, line b.
- 2.) List F003 in block i, line c.
- 3.) LDR, Line a-List and check D001
- 4.) LDR, Line c-List F003

Becky Pate X MANIFEST SPECIALIST

RINECO REGULATORY APPROVAL

If you are a broker, your signature below is certifying that you are authorized as an agent of the generator by contract or agreement to make additions of corrections to Manifests and/or Land Disposal Restrictions.

Please complete this portion

COMPANY NAME X_

lendlad DATE

PRINTED OR TYPED NAME:XFILO

1 Minellill

6/15/94

SIGNATURE:x

REV. DATE: 5/4/93

*Your signature allows RINECO to make necessary changes to your paper work. Please complete and fax back immediately.

	(Co	ASTE MANIFEST ntinuation Sheet)	CAD08651	0005 3530	02	2 o		er Bouver	ired by Federal
23.	Dou	erator's Name uglas Aircraft Compan 03 South Normandie	y Attn: Rob Tuell C6-5 Avenue Torrance CA,	9 90502	: : ::::::::::::::::::::::::::::::::::	A M. Sta	R- 6353 te Generator's II A H Q 3 ())	
24.	Tran	sporterCompany Nar	ne	25. US EPA ID Num	ber	N. Sta	te Transporter's risporter's Phone	ID	
26.	Tran	sporterCompany Nar	me	27. US EPA ID Num	ber	P. Sta	e Transporter's	D	
28	usr	OOT Description (Including	Proper Shipping Name, Haza	ard Class, and ID Number)	29. Cont	ainers	30. Total	31. Unit	R. Waste No.
	HM	1	e, solid, n.o.s., 9,	The second secon	No.	Type DM	Quantity	P	352 D008
b.	X	Pre-impregnate	d fabric ardous waste solic	i	002	DM	00070	P	352 N/R
c. d.									21 ABS 697 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
u.									
е.									
f.		~							
g.									
					ST THE WILLIAM IS				
h.									
i.									
2	28a.	tional Descriptions for Mate 9306-5796, BF Good 9306-5116, Resin pro	rich adhesive rolls.			T. Ha	ndling Codes for	Waste	s Listed Above
2	2. Spe 24 H 28b)		and Additional Information CY TELEPHONE I	NUMBER (800) 424	1- 9300	CHE	EMTREC).	DOT	ERG#28a)3
33		ansporter Acknowled	dgement of Receipt of Mater	rials Signature	egerapen in gea	\$ 2 5 ,			Date Month Day Ye
34			dgement of Receipt of Mate						Date
		nted/Typed Name	:	Signature					Month Day Ye
3	5. Dis	screpancy Indication Space	•						



STATE OF ARKANSAS Department of Pollution Control and Ecology P. O. Box 8913 Little Rock, Arkansas 72219-8913 Telephone 501-562-7444



Form Approved, OMB No. 2050-0039, Expires 9-30-

3. Generator's Name and Mailing Address Douglas Alternati Company Attn		Docu	nifest ment No.	2. Page	required by	Federal la	ded areas is not w.
Translate Aircraft Commission Affri		10009 1.4	34:1		Manifest Document No	imber	
19503 South Mormandile Averus	* Torrance CA 0000			AK- B. State	63530 Generator's ID	to.	
4. Generator's Phone ()	6.	US EPA ID Number		2 4 2	Fransporter's ID)
5. Transporter 1 Company Name Laidlaw Environmental Services		000003	121	D. Transı	oorter's Phone	518	4700
7. Transporter 2 Company Name	8.	US EPA ID Number		0.00	Transporter's ID orter's Phone	PC _	H
Designated Facility Name and Site Address	10.	US EPA ID Number		G. State	Facility's ID		
Rineco Chemical Industries 1007 Vulcan-Haskell Road Banton AR 72105	A (3)	D 9 8 1 0 5 7		H. Facili	y's Phone (501) 77	8-90	
11. US DOT Description (Including Proper Shipping N	WAY DO NOT THE		12. Contai No.	ners Type	13. Total Quantity	14, Unit Wt/Vol	l. Waste No.
^a Waste paint related mate (D001,D007, F002, F00	orial, 3, UN1263, P 3, F005, D035)	GIII. RQ	<i>ao</i> 13	0M	01131310	P	461
bHazardous waste, solid, b	n.o.s., 9, NA3077,	PG III, (D007,	001	() M	1000715	P	352 0007
c. Hazardous waste, solid,	n.o.s., 9, NA3077,	PG III, (D007,		BΑ	01001/10		952 F(02
F002, F003, F005) dilazardous waste, solid,	n.o.s., 9, NA3077.	PG III. (DXX7)		OM	OIOITIGIC	P	181 Drio7
if no alternate TSDF, return to gene 15. Special Handling Instructions and Additional Info	rator		14	734) 4744 9300 (C) 6525 7231 (B) 1 1 1664 114426) Temili	1 4131
	그 전 어떤 유명하는 것 같습니다.						
				*			and are
16. GENERATOR'S CERTIFICATION: I heret classified, packed, marked, and labeled government regulations and Arkansas stated if I am a large quantity generator, I certif economically practicable and that I have future threat to human health and the en the best waste management method that	a, and are in an respects in pro ate regulations type that I have a program in place selected the practicable method paronment: OR, if I am a small qu	to reduce the volumn and of treatment, storage, or antity generator, I have m afford.	toxicity of	waste g	enerated to the de	gree I ha	ve determined to be izes the present and eneration and selec
classified, packed, marked, and labeled government regulations and Arkansas state if I am a large quantity generator, I certified economically practicable and that I have the translation of the end	a, and are in an respects in pro ate regulations type that I have a program in place selected the practicable method paronment: OR, if I am a small qu	to reduce the volumn and of treatment, storage, or antity generator, I have m	toxicity of	waste g	enerated to the de	gree I ha	ve determined to be izes the present and eneration and selec
classified, packed, marked, and labeled government regulations and Arkansas statif I am a large quantity generator, I certified economically practicable and that I have future threat to human health and the enthe best waste management method that Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of I	d, and are in an respects in produce the regulations. y that I have a program in place selected the practicable method vironment; OR, if I am a small quit is available to me and that I can a	to reduce the volumn and of treatment, storage, or antity generator, I have m afford.	toxicity of	waste g	enerated to the de	gree I ha	ve determined to be izes the present and eneration and select Month Day Yea
classified, packed, marked, and labeled government regulations and Arkansas state I I am a large quantity generator, I certified economically practicable and that I have future threat to human health and the enthe best waste management method that Printed/Typed Name	d, and are in an respects in produce regulations. y that I have a program in place selected the practicable methoc vironment; OR, if I am a small quit is available to me and that I can a	to reduce the volumn and of treatment, storage, or antity generator, I have multiord.	toxicity of	waste g irrently faith ef	enerated to the de available to me wh fort to minimize my	gree I ha	ve determined to be izes the present and eneration and select Month Day Yea Month Day Yea
classified, packed, marked, and labeled government regulations and Arkansas state I am a large quantity generator, I certife economically practicable and that I have future threat to human health and the enthe best waste management method that Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of I Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of I Printed/Typed Name	d, and are in an respects in produce regulations. y that I have a program in place selected the practicable methoc vironment; OR, if I am a small quit is available to me and that I can a	or reduce the volumn and of treatment, storage, or antity generator, I have mufford. Signature	toxicity of	waste g irrently faith ef	enerated to the de	gree I ha	ve determined to be izes the present and eneration and select Month Day Yea Month Day Yea
classified, packed, marked, and labeled government regulations and Arkansas stif I am a large quantity generator, I certified economically practicable and that I have future threat to human health and the enthe best waste management method that Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of I Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of I Printed/Typed Name	d, and are in an respects in produce regulations. y that I have a program in place selected the practicable methoc vironment; OR, if I am a small quit is available to me and that I can a	or reduce the volumn and of treatment, storage, or antity generator, I have mufford. Signature	toxicity of	waste g irrently faith ef	enerated to the de available to me wh fort to minimize my	gree I ha	ve determined to be izes the present and eneration and select Month Day Yea Month Day Yea

EPA Form 8700-22 (Rev. 9-88) Previous edition is obsolete.

GENERAL INFORMATION

The Hazardous Waste manifest is designed to track waste from the point of generation to final disposal (cradle to grave). In order to accomplish this goal, it is assential that all items on the manifest be completed correctly—incomplete or incorrect manifests are violations of the law, and could make you subject to civil or criminal liabilities as specified in the Federal Regulations and the Arkansas Hazardous Waste Management

INSTRUCTIONS - IMPORTANT: READ ALL INSTRUCTIONS BEFORE COMPLETING

State and Federal regulations require Generators, Transporters, and Treatment, Storage & Disposal Facilities (TSDFs) to use this form and if necessary the continuation sheet for both inter and intrastate shipments. (Continuation sheets are not provided by the

The Arkansas Manifest contains 6 copies. ALL COPIES MUST BE LEGIBLE. This form is designed for use on a 12 pitch (elite) typewriter; a firm ball point pen may also be used only if you press down HARD. The 6 copies must be distributed in the following

ORIGINAL: GENERATOR COPY—The TSDF will mail back to the generator state where the weste was generated. (WHITE COPY)

STATE COPY—The in-state TSDF mails to Arkansas Department of Pollution Control. (YELLOW COPY)

COPY 3: TSDF COPY—TSDF keeps this copy for his records. (PINK COPY)

COPY 4: 2ND TRANSPORTER COPY—The second transporter keeps for his records.

1ST TRANSPORTER COPY—The first transporter keeps for his records. (GREEN COPY) COPY 5:

GENERATOR INITIAL COPY—The generator keeps once first transporter signs off and takes waste. (BLUE COPY) COPY 6:

IF THE TSDF IS LOCATED OUT-OF-STATE THE IN-STATE GENERATOR MUST SEND A PHOTOCOPY TO THE ARKANSAS DEPARTMENT OF POLLUTION CONTROL ONCE THE MANIFEST HAS BEEN SIGNED OFF BY THE TSDF.

MANIFEST FORM ACQUISITION

- If the destination (consignment) state supplies a manifest and requires its use, then the generator is obligated to obtain the manifest from that state.
- If the destination state does not supply the manifest, but the generator state does, then the generator is obligated to obtain the manifest form from the generator state.
- If forms are unavailable from either state the generator may obtain a manifest from any source.

ARKANSAS WILL NOT ACCEPT THE GENERIC UNIFORM MANIFEST

GENERATOR SECTION

- Item 1:
- Item 2:
- Item 3:
- GENERATOR'S US EPA ID NO.—MANIFEST DOCUMENT NO.—Enter the generator's 12 digit EPA identification number. The manifest document number is a unique 5-digit no. the generator assigns to each manifest. PAGE 1 Of Enter the total number of pages used to complete this manifest: i.e., the first page plus the number of continuation sheets, if any. GENERATOR'S NAME & MAILING ADDRESS—Enter the name and mailing address of the generator, and provide the site address. GENERATOR'S PHONE NUMBER—Enter a telephone no. with area code where an authorized agent of the generator can be reached in case of an emergency. Item 4:
- Item 5:
- Item 6:
- emergency.
 TRANSPORTER 1 COMPANY NAME—Enter the company name (as notified to EPA) of the first transporter who will transport the waste.
 US EPA ID NUMBER—Enter the US EPA 12-digit ID number of the first transporter identified in Item 5.
 TRANSPORTER 2 COMPANY NAME—If applicable, enter the company. item 7:
- INANSPORTER 2 CUMPANY NAME—It applicable, enter the company name (as notified to EPA) of the second transporter who will transport the waste. If more than (2) transporters will be used, use a continuation sheet and list the transporters in the order they will be transporting the waste. US EPA ID NUMBER—It applicable, enter the US EPA 12-digit ID number of the second transporter identified in Item 7.
- Item 9:
- Item 10:
- of the second transporter identified in Item 7.

 DESIGNATED FACILITY NAME & SITE ADDRESS—Enter the company name and site address of the treatment, storage, disposal facility (TSDF), designated to receive the waste listed on this manifest.

 US EPA ID NUMBER—Enter the 12-digit US EPA identification number of the designated TSDF listed in Item 9.

 US DOT DESCRIPTION—All of the following must be entered: the correct US DOT (Dept. of Transportation) name for the waste identified, the assigned DOT-Hazard Class and the UN/NA-ID Number (e.g. waste sulfuricacid, spent corrosive material, UN1832 RQ). The word "waste" must appear as part of the DOT name. If more than 4 wastes are being shipped, a second manifest or continuation sheets must be used. Item 11:
- appear as part of the DU name. If more than 4 wastes are being shipped, a second manifest or continuation sheets must be used.

 [See 49: CFR 172.201].

 CONTAINERS (NO. & TYPE) Enter the number of containers for each waste and the appropriate abbrewations from Table 1 (below)—for the type of containers used: Item 12: of containers used:

TABLE 1 CONTAINER TYPES

- DM Metal drums, barrels, kegs DW Wooden drums, barrels, kegs DF Fiberboard or plastic drums, barrels, kegs
- TP - Tanks portable - Cargo tanks (tank trucks)
- Tank cars
- Dump truck
- CY Cylinders

 CM Metal boxes, cartons, cases (including roll-offs).
- CW Wooden boxes, cartons, cases
 CF Fiber or plastic boxes, cartons, cases
- BA Burlap, cloth, paper or plastic bags

Item 13: TOTAL QUANTITY-Enter the total quantity of waste described on eson

DO NOT USE FRACTIONS

UNIT (Wt./Vol.) - Enter the appropriate abbreviation from Table 2 (below) for the unit of measure used in determining the total quantity of wasta Item 14: described on each line.

TABLE 2 UNITS OF MEASURE

- G Gallons (liquid only)
- Pounds Tons (2,000 lbs.)
- Y Cubic yards L Liters (liquids only) K Kilograms
- M Metric Tons (1,000 kg)
- N Cubic meters
- SPECIAL HANDLING INSTRUCTIONS & ADDITIONAL INFORMATION—Use this space to indicate special transportation, treatment, storage, disposal for Bill of Lading information. If any alternate facility is designated, note it here. For INTERNATIONAL SHIPMENTS, generators must anter the point Item 15:
- of departure (city & state) in this space.

 GENERATOR'S CERTIFICATION—The Generator must read, sign (by hand), and date the certification. If a mode other than highway is used, the word "highway" should be lined out and the appropriate mode (rail, water, air) inserted in the space. If another mode in addition to the highway mode is used, enter the appropriate additional mode in the space. Item 16:
- STATE MANIFEST DOCUMENT NUMBER-Number proprinted by the state Item A: of Arkansas except on the continuation sheets. Enter this number on each
- Item B:
- Item C:
- Item D.
- Item E:
- of Arkansas except on the continuation sheets. Enten this number on each continuation sheet attached to the manifest.

 STATE GENERATOR ID—Are numbers issued by state of Arkansas (i.e., PCB, Provisional, or Conditionally Exempt Generator Numbers).

 STATE TRAN #1 ID—Must have Arkansas Permit Number if transporting waste in, through, or out of Arkansas.

 TRANSPORTER PHONE—Enter a telephone number with area code where an authorized agent of the transporter can be reached.

 STATE-TRAN #2 ID—If applicable, enter Arkansas Permit Number if carrying waste in, through, or out of the Arkansas.

 TRANSPORTER PHONE—If applicable, enter a telephone number with area code where an authorized agent of the second transporter may be reached. Item F:
- Item G: Item H:
- Item I:
- Item J:
- TRANSPORTER PHONE—If applicable, enter a telephone number with area code where an authorized agent of the second transporter may be reached. STATE FACILITY'S ID—No entry is required by Arkansas. FACILITY PHONE—Enter a telephone number with area code of the TSDF designated to receive the waste listed on the manifest. WASTE NO.—Enter the 4-digit EPA Hazardous Waste No. as listed in 40 Code of Federal Regulations Part 261. ADDITIONAL DESCRIPTIONS FOR MATERIALS LISTED BELOW—List additional description of material and alternate TSDF including TSDF address and EPA ID Number. EMERGENCY RESPONSE INFORMATION—Arkansas requires the generator to list an authorized representative name and 24 hour phone number in case of a emergency.
- of a emergency.

TRANSPORTER SECTION

- TRANSPORTER 1 ACKNOWLEDGEMENT—Print or type the name of the person accepting the waste on behalf of the first transporter. That person must acknowledge acceptance of the waste described on the manifest by signing and entering the date of receipt.

 TRANSPORTER 2 ACKNOWLEDGEMENT—If applicable, follow instructions for item 17 for the second transporter. Item 17:
- Item 18:
- ALL HAZARDOUS WASTE TRANSPORTERS OPERATING IN ARKANSAS MUST HAVE A VALID ARKANSAS TRANSPORTER PERMIT. Note:

DESIGNATED FACILITY (TSDF) SECTION

- DISCREPANCY INDICATION SPACE—The authorized representative of the Item 19: designated facility must note in this space any significant discrepancy between the waste described on the manifest and the waste actually
- received at the facility. Any rejected materials should be listed here, along with an explanation of the disposition of the rejected wastes.

 FACILITY OWNER/OPERATOR CERTIFICATION. Print or type the name of the person accepting the waste on behalf of the owner/operator of the designated TSDF. That person must acknowledge acceptance of the waste described on the manifest by signing and entering the date. Item 20:

self hyedian

no**gan**eri siwawi sa

For interstate shipments you may be required to comply with the manifesting requirements of both the receiving and generator, states regarding the completion of specific inferemention included, in lettered terms A-K. Please check with both generator and disposer states for specific Note: requirements.

BURDEN DISCLOSURE STATEMENT

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency 4015 M Street, S.W. Washington, D.C., 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, D.C., 20503.

r 	W	ASTE MANIFEST	t Document No.	22. Pa	areas is		e shaded iired by Federal
12.500	Gen	erator's Name Attached Tuel Ca-58 As South Normanile Avenue Tonasce CA 18862		L. Stat M. Sta	e Manifest Docu te Generator's II	();? D	
24.	Tran	sporter Company Name 25. US EPA ID	Number	N. Sta	te Transporter's nsporter's Phon	ID	
26.	Tran	sporter Company Name 27. US EPA ID		P. Sta Q. Tra	te Transporter's nsporter's Phon	ID e	
28.	US E	OOT Description (Including Proper Shipping Name, Hazard Class, and ID Numb	per) 29, Conta	ainers Type	30. Total Quantity	31. Unit Wt/Vol	R. Waste No.
a.	Q Ç	Hazardous waste, solid, n.o.s., 9, NA3077 PG I (DOOR)	601		00070	P	D008
b.	*	Pre-impregnated fabric Non-RCRA hazardous waste solid	002		00175	12	3838 9458
c.							
d.							
е.							
f.							
g.							
h.							
i.							
	Har.	ional Descriptions for Materials Listed Above 1306-15797 - 185-1569-1576-15-3074-1589-1599-1599-1599-1599-1599-1599-1599		T. Ha	ndling Codes for	Wastes	s Listed Above
2		cial Handling Instructions and Additional Information	424-938994				***************************************
	Prir	nsporter Acknowledgement of Receipt of Materials nted/Typed Name Signature					Date Month Day Ye
34.		nsporter Acknowledgement of Receipt of Materials ted/Typed Name Signature					Date Month Day Ye
35	. Dis	crepancy Indication Space					

	W/ (Co	ORM HAZARDOUS ASTE MANIFEST Intinuation Sheet)	V . 34 (4.8)	ors US EPA II) 8 6 5 1		Manifest Do	1000	2	areas is		red by Federal
23.	Dot	erator's Name uglas Aircraft Compar	ıv Altın: Fko	b Tueli Cs.4	o T		7. A.		te Manifest Dod		mber
	195	03 South Normandie	Avenue To	mance CA,	20502			M.St	ate Generator's	ID.	
24.	Tran	sporterCompany Nar	ne		25.	US EPA ID Nu	mber	N. Sta	A 14 (0 4) Ne Transporter	600	5698
26.	Tran	sporter Company Nar	ne	rendij sala	27.	US EPA ID Nu	mber		insporter's Pho te Transporter		
			, så 1%.		Mile entre	er akt tike wide.		Q; Tre	insporter's Pho	16 1 1 1 1	
-	HM	OOT Description (Including			ard Class, a	nd ID Number)	29. Cont No.	Type	30. Total Quantity	31. Unit Wt/Vol	Waste No
	₹Q	Hazardous waste (D008)	e, solid, n	.o.s., 9,	NA30	77,PQ III	001	DM	00070	P	5008 5008
b.	X	Pre-impregnated Non-RGRA haze	d fabric Irdous wa	uste solic			002	DM	00175	P	SUZ WA
c.											10 10 10 10 10 10 10 10 10 10 10 10 10 1
d.											
е.			5.3					rii:			
f.		,		, N	* (
g.											
n.											
								2 .			
W 1997 100	3011 376	nal Descriptions for Mater	Control of the Contro	Section of the sectio		4 99		T. Han	dling Codes for	Wastes Li	sted Above
28		106 5790, BF Goadri 306 5116, Frien pro-	agrega kujere graste	e Tulia e Saliela							
32. S	peci	al Handling Instructions an	d Additional Ir	nformation							
24 280	HC b)3	UR EMERGENC	Y TELEP	HONE N	UMBEI	(800) 424	- 9300 (CHE	MTREC). 1	OT E	RG#28a33
	- , 40'									i _g ,	
			ement of Rece	ipt of Material					2		Date
		ed/Typed Name			Sign	ature				Мо	nth Day Ye
		sporter Acknowledg d/Typed Name	ement of Reco	eipt of Materia	ls Signa	ature			0	Мо	Date nth Day Yea
35. F	Discr	epancy Indication Space	.:	er.		***	``				
		maidulion opace			4				<u> </u>		٠
					2						٠

Land Disposal Restriction Notification Form

Generator State Mani EPA Waste	fest Number	Dovylas ARE	41VC10 15302	1+ Co	mpany/		US EPA ID	9306 -	5100 CUS 5116
		<i>N/,</i>					Treatability Non-Waste	_	
EPA Waste Co	Sı ode	ıbcategory	N/A	1		Treatme	nt Code	Treatmen	t Standard
D001	All description	s based on 40 C High TOC subca					「 and meet or FSUBS;		268.41
D001	non-CWA/non All description §261.21(a)(1)	-CWA-equivalers based on 40 C High TOC subcater, or Class I SI	nt/non-Cl FR 261.2 ntegory, n	ass I SD 1, excep nanaged	WA systems. t for the	•	S; or INCIN	•	268.43
D001	All description	s based on 40 C ds Subcategory-	FR 261.2	1 (a)(1)-	_	FSUBS INCIN	; RORGS, o	or	
D002	Acid, Alkaline	and other subca on-CWA/non-C				DEAC	Γ and meet F	039	268.41, 268.43
D002	Acid, Alkaline,	ns , and other subca VA, CWA-equiv				DEAC	Т		
) D0	004-D011 No	n-wastewater:	s with	heavy	metals i	n mg/l: 2	268.41		
	arsenic 5 cadmium lead 5.0 selenium	1.0			nium 5.0 ry 0.20 (Low	mercury sub	category-less th	an 260 mg/kg)	
F001	-F005 Spent	Solvents non	-waste	waters	; maxiumu	n constitu	ent concentr	ation in mg	g/l: 268.43
Pod	nitrobenzer 1,1,1 trichl trichloroflu 1,1,2 trichl 1,2,2 trifli tetrachloroe	rene 5.7 re .75 re .75 re .33 160 75 ryl ketone 36 re 14 roroethane 5.6 roromethane 33 roroethane, ruroethane 28 ethylene 5.6			n-butyl alcoho carbon tetrachi cresols (m,p) icresols (o) 5.6 1,2 dichlorobe ethyl benzene isobutanol 170 methylene chlomethyl isobuty byridine 16 coluene 28 richloroethylexylene 28	loride 5.6 3.2 nzene 6.2 6.0) oride 33 /1 ketone 33 ne 5.6			
ruu		oulfide, 4.8 none, 0.75	-waste		maximum 1,1,2 trichloro benzene, 3.7	•	nt concentra	tion in mg/l:	268.41 268.43

*Note: Retain one copy for your files, send one copy with your shipment Form Revised:8/93 KMG

EI		odes Subcategor 03, K004, K005, K007		Treatment Code	Treatment 268.41	Standard
		00, U032, U136, U144 hydrous)	, U204, U145, U146		268.41	
	K006 (hyd	irated)	And the second s		268.41	
	F025 (Spe	ent filters/aids & desicc	ant subcategory)		268.43	
	F025 (Lig	ht end subcategory)		V I W The C	268.43	
la superdisse.		9, F037, F038, K001, I 48, K049, K050, K051, 51			268.41, 268.43	
	K018, K01 K060, K07 K097, K09	10, K011, K013, K014, 19, K020, K023, K024, 73, K085, K093, K094, 98, K099, K103, K104, 31, K132, K136	K029, K030 K095, K096		268.43	
	U022, U02 U036, U03 U050, U05 U071, U07 U081, U08 U106, U10 U121, U12 U141, U14 U162, U16 U181, U18 U203, U20	003, U004, U005, U0024, U025, U027, U028, 37, U039, U043, U044, 52, U063, U066, U067, 72, U075, U076, U077, 32, U083, U084, U088, 07, U108, U111, U112, 27, U128, U130, U131, 12, U152, U155, U157, 55, U169, U170, U172, 13, U185, U187, U128, U208, U209, U210, 7, U228, U235, U239,	U045, U047, U048 U068, U069, U070, U078, U079, U080, U101, U102, U105, U117, U118, U120, U137, U138, U140, U158, U159, U161, U174, U179, U180, U190, U192, U196, U211, U220, U225,		268.43	
		3, K114, K115, K116		FSUBS, INCIN	268.42	
	U064, U08: U122, U12:	6, U053, U055, U056, 5, U087, U089, U090, 3, U124, U125, U126, 1 2, U186, U197, U201, 1	U094, U113, U147, U154, U223	FSUBS, INCIN	268,42	
	U086, U098 U160	8, U099, U103, U109,	A A A A A A	FSUBS, CHOXD, CHRED, INCIN	268.42	
	U017, U021	6, U001, U007, U010, 1, U026, U034, U035, U	U038, U041, U042,	INCIN	268.42	
	U093, U095 U143, U148	9, U059, U062, U073, 1 5, U097, U110, U114, 1 8, U149, U150, U153, 1	U116, U119, U132, J156, U163, U164.			
	U167, U168 U191, U193	3, U171, U173, U176, U 5, U194, U200, U202, U 6, U237, U238, U244	J177, U178, U184.	Trag III - 11 TRANS		
	<i></i> , <i></i>	, 0237, 0230, 0 <i>2</i> 44			e Suit fights	

Form revised 8/93 KMG

Land Disposal Restriction Notification Form

Generat	or Name	Dovalas A	Firecost Cam	Duny/		# <u>CADO86</u> 93 06-	570003
	anifest Number	0 AR635	302/		Profile #	7300	3/76
EPA Wa	aste Codes	-					
		D008					
	•						
	•				Treatabilit		
	•				MOB- 44 820	EMAICI	
	•						
EPA Waste		ubcategory		Treatm	nent Code	Treatmen	t Standard
D001		s based on 40 CFI	R 261.21, except for	4.0	CT and meet		268.41
	§261.21(a)(1)	High TOC subcate	gory, managed in		; or FSUBS;	. •	269.42
_			non-Class I SDWA	· ·	GS; or INCIN	٧.	268.43
□ D001	_		R 261.21, except for		CT		
		•	gory, managed in C	WA,			
		ent, or Class I SDV		LTOC FOIL	BS; RORGS,	or	
D001			R 261.21 (a)(1)-Hig reater than or equal			O.	
	total organic ca	~ .	reater than or equal	W 1070	•		
D002			ory based on 261.2	2 DEA	CT and meet	F039	268.41,
			A-equivalent/non-C				268.43
	SDWA system	ns					
D002			gory based on 261.2		CT		
	managed in CV	VA, CWA-equival	ent,or Class I SDW	A systems			
	D004-D011 No	n-wastewaters	with heavy n	netals in mg/l:	268.41		
	arsenic 5	.0	barium 10	00			
	cadmium		chromium	-			
	✓ lead 5.0			0.20 (Low mercury su	ubcategory-less t	han 260 mg/kg)	
	selenium	5.7	silver 5.0				
FO	01-F005 Spent	Solvents non-v	vaste waters: m	axiumum consti	tuent concent	ration in m	g/l: 268.43
							•
	acetone 16			tyl alcohol 2.6	-		
	carbon disu		}(on tetrachloride 5.6			
	cyclohexan			ols (m,p) 3.2 ols (o) 5.6			
	ethyl acetai			lichlorobenzene 6.2			
	ethyl ether			benzene 6.0			
	methanol.			utanol 170	•	· · · · · · · · · · · · · · · · · · ·	
	methyl ethy	l ketone 36		ylene chloride 33			
	nitrobenzen	e 14		yl isobutyl ketone 3	3		
		proethane 5.6	pyric	line 16			
		oromethane 33		ne 28			
	1,1,2 trichle	•		loroethylene 5.6			
		roethane 28	xyler	ne 28			
	tetrachloroe	anylene 5.6					
F	F001-F005 Spent	solvents non-w	vaste waters; r	naximum constitu	ient concentra	ntion in mg/l:	268.41
	carbon dis			•	1	9.	268.43
	cyclohexa	•		2 trichloroethane, 7.6 ene, 3.7	'		
	methanol,			.c.i.c., J. /			
	towned		Burney American Assessment	ent besier Ward Lagik	So managaran 1965 Sas	ado since alimes	
	Contract of the Contract of th	그래로 (하는) 최	14:10 <u>_ 면</u> 서: 이렇 - 플랜리엘 . 이렇	copy with your shi			

BOE-C6-0206776

EPA Waste Codes Subcategory K002, K003, K004, K005, K007, K008, K071	Treatment Code	Treatment Standare 268.41
K084, K100, U032, U136, U144, U204, U145, U146 K006 (Anhydrous)		268.41
K006 (hydrated)		268.41
F025 (Spent filters/aids & desiccant subcategory)		268.43
F025 (Light end subcategory)	*	268.43
F006, F019, F037, F038, K001, K015, K021, K022, K028, K048, K049, K050, K051, K052, K083, K086 K087, U051		268.41, 268.43
K009, K010, K011, K013, K014, K016, K017 K018, K019, K020, K023, K024, K029, K030 K060, K073, K085, K093, K094, K095, K096 K097, K098, K099, K103, K104, K105, K111, K117, K118, K131, K132, K136		268.43
U002, U003, U004, U005, U009, U012, U018, U019, U022, U024, U025, U027, U028, U029, U030, U031, U036, U037, U039, U043, U044, U045, U047, U048, U050, U052, U063, U066, U067, U068, U069, U070, U071, U072, U075, U076, U077, U078, U079, U080, U081, U082, U083, U084, U088, U101, U102, U105,	· · ·	268.43
U106, U107, U108, U111, U112, U117, U118, U120, U121, U127, U128, U130, U131, U137, U138, U140, U141, U142, U152, U155, U157, U158, U159, U161, U162, U165, U169, U170, U172, U174, U179, U180, U181, U183, U185, U187, U188, U190, U192, U196, U203, U207, U208, U209, U210, U211, U220, U225, U226, U227, U228, U235, U239, U240, U243, U129		
K027, K113, K114, K115, K116	FSUBS, INCIN	268.42
U008, U016, U053, U055, U056, U057, U058, U064, U085, U087, U089, U090, U094, U113, U122, U123, U124, U125, U126, U147, U154, U223 U166, U182, U186, U197, U201, U213, U221, U248	FSUBS, INCIN	268.42
U086, U098, U099, U103, U109, U160	FSUBS, CHOXD, CHRED, INCIN	268.42
K025, K026, U001, U007, U010,U011, U014, U015, U017, U021, U026, U034, U035, U038, U041, U042, U046, U049, U059, U062, U073, U074, U091, U092 U093, U095, U097, U110, U114, U116, U119, U132, U143, U148, U149, U150, U153, U156, U163, U164, U167, U168, U171, U173, U176, U177, U178, U184, U191, U193, U194, U200, U202, U206, U218, U219, U222, U236, U237, U238, U244	INCIN A SECOND A SECO	268.42
, 0200, 0201, 0200, 02 71		

Form revised 8/93 KM

Land Disposal Restriction Notification Form

Generator Name	Dovalas Aire	solt Company	US EPA ID	# <u>CADO865</u>	70005
State Manifest Nui	mber AR62530	7	Profile #	9401-0.	35 6
EPA Waste Codes	200				
	100)				
			—— Treatabilit	v Group	
			Non-Waste	-	
			and the state of 		
				n de la companya de La companya de la co	
EPA	Subcategory	7	Freatment Code	Treatment	Standard
Waste Code	. Substitute Bord				
	criptions based on 40 CFR 26	51.21, except for the	DEACT and meet		268.41
	(a)(1) High TOC subcategory		F039; or FSUBS;		
	A/non-CWA-equivalent/non		RORGS; or INCIN	i.	268.43
	criptions based on 40 CFR 26		DEACT		
	(a)(1) High TOC subcategor				
CWA-e	quivalent, or Class I SDWA	systems.			
D001 All desc	criptions based on 40 CFR 26	51.21 (a)(1)-High TOC	FSUBS; RORGS,	or	
Ignitable	e Liquids Subcategory-Great	er than or equal to 10%	INCIN.		
	ganic carbon.	Two states of the states of th			
	lkaline, and other subcategory		DEACT and meet I	F039	268.41,
_	ed in non-CWA/non-CWA-ea	quivalent/non-Class I			268.43
	systems				
	lkaline, and other subcategory		DEACT		
manageo	d in CWA, CWA-equivalent,	or Class I SDWA systems			
D004-D011	l Non-wastewaters wi	th heavy metals in	mg/l: 268.41		
	senic 5.0	barium 100	1949 ST LAAR LING GAAR LING. Die Gebeure		
	dmium 1.0	chromium 5.0	1 12 시간 전 기계	n territoria. Particolor	•
	ad 5.0		ercury subcategory-less th	1an 260 mg/kg)	
	lenium 5.7	silver 5.0	cicary succassory loss a	mi 200 mg/kg/	
	•				
F001-F005 S _I	pent Solvents non-wast	te waters; maxiumum	constituent concenti	ration in mg/	1: 268.43
acet	one 160	n-butyl alcohol	2.6		
)(on disulfide 4.8	carbon tetrachlor			
	robenzene 5.7	cresols (m,p) 3.2			
	ohexane .75	cresols (o) 5.6	-		
	l acetate 33	1,2 dichlorobenz	ene 6.2		
	l ether 160	ethyl benzene 6.0			
	nanol .75	isobutanol 170	Magasta		
meth	nyl ethyl ketone 36	methylene chlori	de 33		
nitro	benzene 14	methyl isobutyl			
1,1,1	trichloroethane 5.6	pyridine 16			
trich	lorofluoromethane 33	toluene 28			
1,1,2	trichloroethane,	trichloroethylene	5.6		
1,2,	,2 trifluroethane 28	xylene 28			
tetrac	chloroethylene 5.6	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	•		•		
rvu1-rv05 S	Spent solvents non-wast	te waters; maximum	constituent concentra	tion in mg/l:	
cart	oon disulfide, 4.8	1,1,2 trichloroet	hane, 7.6		268.43
	lohexanone, 0.75	benzene, 3.7	, ···-		
	thanol, 0.75				
	•	127 年35 66 5 4 66 6			
*Note: Re	etain one copy for your fi	les, send one copy with y	your shipment Form R	evised:8/93 KM	(G

EPA	Waste Codes Subcategory K002, K003, K004, K005, K007, K008, K071	Treatment Code	Treatment Standa 268.41
	K084, K100, U032, U136, U144, U204, U145, U146 K006 (Anhydrous)		268.41
	K006 (hydrated)		268.41
	F025 (Spent filters/aids & desiccant subcategory)		268.43
	F025 (Light end subcategory)		268.43
*************************************	F006, F019, F037, F038, K001, K015, K021, K022, K028, K048, K049, K050, K051, K052, K083, K086 K087, U051		268.41, 268.43
1 /	K009, K010, K011, K013, K014, K016, K017 K018, K019, K020, K023, K024, K029, K030 K060, K073, K085, K093, K094, K095, K096 K097, K098, K099, K103, K104, K105, K111, K117, K118, K131, K132, K136		268.43
	U002, U003, U004, U005, U009, U012, U018, U019 U022, U024, U025, U027, U028, U029, U030, U031 U036, U037, U039, U043, U044, U045, U047, U048 U050, U052, U063, U066, U067, U068, U069, U070, U071, U072, U075, U076, U077, U078, U079, U080, U081, U082, U083, U084, U088, U101, U102, U105,		268.43
	U106, U107, U108, U111, U112, U117, U118, U120, U121, U127, U128, U130, U131, U137, U138, U140, U141, U142, U152, U155, U157, U158, U159, U161, U162, U165, U169, U170, U172, U174, U179, U180, U181, U183, U185, U187, U188, U190, U192, U196, U203, U207, U208, U209, U210, U211, U220, U225, U226, U227, U228, U235, U239, U240, U243, U129		
	K027, K113, K114, K115, K116	FSUBS, INCI	N 268.42
	U008, U016, U053, U055, U056, U057, U058, U064, U085, U087, U089, U090, U094, U113, U122, U123, U124, U125, U126, U147, U154, U223 U166, U182, U186, U197, U201, U213, U221, U248	FSUBS, INCI	N 268.42
	U086, U098, U099, U103, U109, U160	FSUBS, CHOX CHRED, INCI	
	K025, K026, U001, U007, U010, U011, U014, U015, U017, U021, U026, U034, U035, U038, U041, U042, U046, U049, U059, U062, U073, U074, U091, U092	INCIN	268.42
	U093, U095, U097, U110, U114, U116, U119, U132, U143, U148, U149, U150, U153, U156, U163, U164,		
	U167, U168, U171, U173, U176, U177, U178, U184,		
	U191, U193, U194, U200, U202, U206, U218, U219,		
	U222, U236, U237, U238, U244		

Form revised 8/93 KMG

Land Disposal Restriction Notification Form

Generato	r Name	Dovalas Airce	alt l	omani/	٠.		CADO865	10005
State M	anifest Number	AR 635302	7	' /		Profile #	9401-03	22
EPA Wa	ste Codes							
		1002, DO07	PE	20 5	<u> Partina di </u>			
	·		7				•	
						Treatability	Group	
						Non-Wastev		
						•		<u>.</u>
EPA		ıbcategory			Treatmen	nt Code	Treatment	Standard
Waste (268.41
□ D001		s based on 40 CFR 261				and meet		200.41
		High TOC subcategory,				or FSUBS;		268.43
		-CWA-equivalent/non-C				s; or INCIN.		200.73
D001		s based on 40 CFR 261		- Tay	DEACT			
	- ,,,,,	High TOC subcategory,		d in CWA,				
		ent, or Class I SDWA sy			ECUBC	. DODCE o	-	
\square D001	-	s based on 40 CFR 261.		· . -	- A 44	; RORGS, o	Ţ	
		ds Subcategory-Greater	than or	equal to 10%	INCIN	•		
D002	total organic ca			061.00	DEACT	and meet F(130	268.41,
		and other subcategory b			DEACI	and meet re		268.43
	SDWA system	on-CWA/non-CWA-equ	nvatent	non-Class 1	8			200.45
D002		and other subcategory	hased on	261 22	DEACT	r	•	
		VA, CWA-equivalent, or			DEAC			
	_	•						
•	D004-D011 Noi	n-wastewaters with	ı heav	y metals in	mg/l: 2c	68.41		
	arsenic 5	.0 Г	bari	um 100				
	g cadmium	1.0	chro	mium 5.0				
			merc	tury 0.20 (Low r	mercury subc	ategory-less tha	n 260 mg/kg)	
	selenium	5.7		r 5.0	•			
FOC	11-F005 Spent	Solvents non-waste	water	c. maviumum	constitue	nt concentr	ation in mo/	1. 268.43
			water	s, maxiumum	Constitue	ont Concentra	ition in mg/	. 200.43
	acetone 160			n-butyl alcohol	2.6			
	carbon disu			carbon tetrachlo				
	chlorobenze			cresols (m,p) 3.	.2			
	cyclohexan			cresols (o) 5.6				
	ethyl acetat		Ш	1,2 dichloroben				
	ethyl ether			ethyl benzene 6	5.0			
	methanol .7	=	\sim	isobutanol 170				
		l ketone 36		methylene chlor				
	nitrobenzen			methyl isobutyl	ketone 33			
		proethane 5.6		pyridine 16				
		oromethane 33	2	toluene 28				
	1,1,2 trichlo			trichloroethylen	e 5.6			
		roethane 28		xylene 28				
	tetrachloroe	thylene 5.6						
F	001-F005 Spent	solvents non-waste	waters	s; maximum	constituer	it concentrati	ion in mg/l:	268.41
	carbon dist	ulfide, 4.8		1,1,2 trichloroe				268.43
	cyclohexar		H	benzene, 3.7				
	methanol,			. 3 - 5 - 6 - 6 - 6				
				4.5				

*Note: Retain one copy for your files, send one copy with your shipment Form Revised:8/93 KMG

EPA	Waste Codes Subcategory] K002, K003, K004, K005, K007, K008, K071 K084, K100, U032, U136, U144, U204, U145, U146	Treatment Code	Treatment Standard
e e e e e e e e e e e e e e e e e e e	K006 (Anhydrous)	r de la companya de l	268.41 ******
	K006 (hydrated)		268.41
	F025 (Spent filters/aids & desiccant subcategory)		268.43
	F025 (Light end subcategory)		268.43
	F006, F019, F037, F038, K001, K015, K021, K022, K028, K048, K049, K050, K051, K052, K083, K086 K087, U051		268.41, 268.43
	K009, K010, K011, K013, K014, K016, K017 K018, K019, K020, K023, K024, K029, K030 K060, K073, K085, K093, K094, K095, K096 K097, K098, K099, K103, K104, K105, K111, K117, K118, K131, K132, K136		268.43
· · · · · · · · · · · · · · · · · · ·	U002, U003, U004, U005, U009, U012, U018, U019 U022, U024, U025, U027, U028, U029, U030, U031 U036, U037, U039, U043, U044, U045, U047, U048 U050, U052, U063, U066, U067, U068, U069, U070, U071, U072, U075, U076, U077, U078, U079, U080, U081, U082, U083, U084, U088, U101, U102, U105, U106, U107, U108, U111, U112, U117, U118, U120, U121, U127, U128, U130, U131, U137, U138, U140, U141, U142, U152, U155, U157, U158, U159, U161, U162, U165, U169, U170, U172, U174, U179, U180, U181, U183, U185, U187, U188, U190, U192, U196, U203, U207, U208, U209, U210, U211, U220, U225, U226, U227, U228, U235, U239, U240, U243, U129		268.43
<u></u>	K027, K113, K114, K115, K116	FSUBS, INCIN	268.42
1 (P.S.) - 12gg	U008, U016, U053, U055, U056, U057, U058, U064, U085, U087, U089, U090, U094, U113, U122, U123, U124, U125, U126, U147, U154, U223 U166, U182, U186, U197, U201, U213, U221, U248	FSUBS, INCIN	268.42
	U086, U098, U099, U103, U109, U160	FSUBS, CHOXD, CHRED, INCIN	268.42
· ;	K025, K026, U001, U007, U010,U011, U014, U015, U017, U021, U026, U034, U035, U038, U041, U042, U046, U049, U059, U062, U073, U074, U091, U092 U093, U095, U097, U110, U114, U116, U119, U132, U143, U148, U149, U150, U153, U156, U163, U164, U167, U168, U171, U173, U176, U177, U178, U184, U191, U193, U194, U200, U202, U206, U218, U219, U222, U236, U237, U238, U244		268.42
,	O222, O230, O237, O238, O244		

Form revised 8/93 KN.

Land Disposal Restriction Notification Form

EPA Waste Code Treatability Group Treatability Group Non-Wastewater	Generator	Name	Douglas Airc	of / moune	/	US EPA ID#	CAD08651	
EPA Subcategory Treatment Code Treatment Standard Waste Code D801 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D802 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D804 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D805 All descriptions based on 40 CFR 261.21 (a)(1) High TOC subcategory-greater than or equal to 10% total organic carbon. D806 All descriptions based on 40 CFR 261.21 (a)(1) High TOC subcategory-greater than or equal to 10% total organic carbon. D807 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D808 Asystems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D800 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D801 D802 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D802 D803 T804 T804 T804 T804 T804 T804 T804 T804			AR535307			Profile #	9401-035	<u>y </u>
EPA Subcategory Treatment Code Treatment Standard Waste Code D801 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D802 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D804 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D805 All descriptions based on 40 CFR 261.21 (a)(1) High TOC subcategory-greater than or equal to 10% total organic carbon. D806 All descriptions based on 40 CFR 261.21 (a)(1) High TOC subcategory-greater than or equal to 10% total organic carbon. D807 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D808 Asystems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D809 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D800 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D801 D802 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D802 D803 T804 T804 T804 T804 T804 T804 T804 T804	EPA Wast	e Codes	0007, DOUS,	0035				
Waste Code D001 All descriptions based on 40 CFR 261.21, except for the 263.21.2(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21, except for the 3261.21(a)(1) High TOC subcategory, managed in cWA, CWA-equivalent, or Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D002 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitiable Liquids Subcategory, Greater than or equal to 10% INCIN. total organic carbon. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F0.39 268.41 managed in cWA, CWA-equivalent/non-Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arrsenic 5.0 cadmium 1.0 ca		•		i i i i i i i i i i i i i i i i i i i	ekin sila dan dalah			
Waste Code D001 All descriptions based on 40 CFR 261.21, except for the 263.21.2(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21, except for the 3261.21(a)(1) High TOC subcategory, managed in cWA, CWA-equivalent, or Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D002 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitiable Liquids Subcategory, Greater than or equal to 10% INCIN. total organic carbon. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F0.39 268.41 managed in cWA, CWA-equivalent/non-Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arrsenic 5.0 cadmium 1.0 ca					· · · · · · · · · · · · · · · · · · ·			
Waste Code D001 All descriptions based on 40 CFR 261.21, except for the 263.21.2(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21, except for the 3261.21(a)(1) High TOC subcategory, managed in cWA, CWA-equivalent, or Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D002 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitiable Liquids Subcategory, Greater than or equal to 10% INCIN. total organic carbon. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F0.39 268.41 managed in cWA, CWA-equivalent/non-Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arrsenic 5.0 cadmium 1.0 ca						Treatability	Group	
Waste Code □ 001 All descriptions based on 40 CFR 261.21, except for the non-CWA/non-CWA-equivalent/non-Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% total organic carbon. □ 002 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems □ 0004 - 0011 Non-wastewaters with heavy metals in mg/l: 268.41 □ arsenic 5.0 arsenic 5.0 cadmium 1.0 arsenic 5.0 selenium 5.7 silver 5.0 ■ cadmium 1.0 acdmium 1.0 acdmium 5.0 metrury o.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 ■ acetone 160 arsenic 6.2 ethyl acctate 33 ethyl ethyl ketone 36 mirrobenzene 5.7 cresols (m,p) 3.2 cresols (o) 5.6 cresols (m,p) 3.2 cresols (o) 5.6 trichlorodinoromethane 33 introbenzene 14 introbenzene 14 introbenzene 15 introbenzene 14 introbenzene 15 introbenzene 15 introbenzene 16 introbenzene 17 introbenzene 17 introbenzene 18 introbenzene 18 introbenzene 19 introb		_				300 111 1	-	
Waste Code □ 001 All descriptions based on 40 CFR 261.21, except for the non-CWA/non-CWA-equivalent/non-Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% total organic carbon. □ 002 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems □ 0004 - 0011 Non-wastewaters with heavy metals in mg/l: 268.41 □ arsenic 5.0 arsenic 5.0 cadmium 1.0 arsenic 5.0 selenium 5.7 silver 5.0 ■ cadmium 1.0 acdmium 1.0 acdmium 5.0 metrury o.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 ■ acetone 160 arsenic 6.2 ethyl acctate 33 ethyl ethyl ketone 36 mirrobenzene 5.7 cresols (m,p) 3.2 cresols (o) 5.6 cresols (m,p) 3.2 cresols (o) 5.6 trichlorodinoromethane 33 introbenzene 14 introbenzene 14 introbenzene 15 introbenzene 14 introbenzene 15 introbenzene 15 introbenzene 16 introbenzene 17 introbenzene 17 introbenzene 18 introbenzene 18 introbenzene 19 introb								
Waste Code □ 001 All descriptions based on 40 CFR 261.21, except for the non-CWA/non-CWA-equivalent/non-Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21, except for the p361.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. □ 001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% total organic carbon. □ 002 Acid, Alkaline, and other subcategory based on 261.22 managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems □ 0004 - 0011 Non-wastewaters with heavy metals in mg/l: 268.41 □ arsenic 5.0 arsenic 5.0 cadmium 1.0 arsenic 5.0 selenium 5.7 silver 5.0 ■ cadmium 1.0 acdmium 1.0 acdmium 5.0 metrury o.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 ■ acetone 160 arsenic 6.2 ethyl acctate 33 ethyl ethyl ketone 36 mirrobenzene 5.7 cresols (m,p) 3.2 cresols (o) 5.6 cresols (m,p) 3.2 cresols (o) 5.6 trichlorodinoromethane 33 introbenzene 14 introbenzene 14 introbenzene 15 introbenzene 14 introbenzene 15 introbenzene 15 introbenzene 16 introbenzene 17 introbenzene 17 introbenzene 18 introbenzene 18 introbenzene 19 introb								
D001 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems. D001 All descriptions based on 40 CFR 261.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. D002 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignilable Liquids Subcategory—Greater than or equal to 10% INCIN. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.41, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D004 D011 Non-wastewaters with heavy metals in mg/l: 268.41	EPA	Sı	ubcategory		Treatme	nt Code	Treatment	Standard
### Space Sp	Waste Co	ode						0.40 44
D001 All descriptions based on 40 CFR 261.21, except for the partial form of the part	D001							268.41
D001 All descriptions based on 40 CFR 251.21, except for the \$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% INCIN. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.41, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D004 Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 Selenium 5.0 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 carbon tetrachloride 5.6 carbon tetrachloride 5.6 cresols (mp.) 3.2 cresols (mp.) 3.2 cresols (o) 5.6 ethyl acetate 33 ethyl ether 160 methanol. 75 methyl ethyl ketone 36 nitrobenzene 15.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol. 75 methyl ethyl ketone 36 nitrobenzene 16.0 methanol. 75 methyl ethyl ketone 36 methyl ethyl ketone 36 methyl ethyl ketone 36 methyl ethyl enzene 6.0 methanol. 75 methyl ethyl ketone 36 methyl ethyl ketone 37 pyridine 16 toluene 28 trichloroethane, 1.2.2 trifluroethane, 28 trichloroethylene 5.6 trylene 28.6 trylene 28 trichloroethylene 5.7 benzene, 3.7 benzen								260 42
\$261.21(a)(1) High TOC subcategory, managed in CWA, CWA-equivalent, or Class I SDWA systems. ### D001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% INCIN. total organic carbon. D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.43 SDWA systems D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in ron-CWA/non-CWA-equivalent/non-Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0								208.43
CWA-equivalent, or Class I SDWA systems. All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Ignitable Liquids Subcategory—Greater than or equal to 10% INCIN. D002	D001				DEAC	ľ	•	
D001 All descriptions based on 40 CFR 261.21 (a)(1)-High TOC Initiable Liquids Subcategory-Greater than or equal to 10% INCIN. D002								
Ignitable Liquids Subcategory—Greater than or equal to 10% INCIN. total organic carbon.	Tello a a s				POUDC	. DODGS a	-	
total organic carbon. Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.41, 268.43 D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent.or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 carbon disulfide 4.8 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetae 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 michlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 Total Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.41 268.43 DEACT and meet F039 268.41 DEACT and meet F039 268.41 268.43 DEACT and meet F039 268.41 268.43	Shoot	•		· · · · · · · · · · · · · · · · · · ·			I .	
D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT and meet F039 268.41, managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 carbon disulfide 4.8 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 chtyl acetate 33 chlorobenzene 5.7 cyclohexane .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane, 1,2,2 trifluroethane 28 trichloroethylene 5.6 focusion disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7				r than or equal to 10%) INCIN	•		
managed in non-CWA/non-CWA-equivalent/non-Class I SDWA systems Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 cadmium 1.0 lead 5.0 selenium 5.7 selenium 5.7 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 richlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 cresols (0,0 5.6 ethyl benzene 6.0 isobutanol 170 methyl ether 160 methanol .75 methyl ether 160 methylene chloride 33 methyl isobutyl ketone 33 pyridine 16 richloroethane, 1,2,2 trifluroethane 28 trichloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7	D002			based on 261.22	DEACT	Γ and meet F(139	268.41.
SDWA systems Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 cadmium 1.0 lead 5.0 selenium 5.7 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl acetate 33 ethyl ether 160 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 pyridine 16 toluene 28 trichloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 pt. 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 pt. 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75					DE:IC:	and meet a		
D002 Acid, Alkaline, and other subcategory based on 261.22 DEACT managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 barium 10. chromium 5.0 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 F001-F005 Spent Solvents non-waste waters; maxiumum constituent concentration in mg/l: 268.43 acetone 160 n-butyl alcohol 2.6 carbon disulfide 4.8 chlorobenzene 5.7 cresols (m,p) 3.2 cresols (o) 5.6 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 nitrobenzene 14 nethyl enzene 6.0 isobutanol 170 methyl enzene 6.1 isobutanol 170 methyl enzene 14 nethyl isobutyl ketone 35 nitrobenzene 14 nethyl isobutyl ketone 35 nethyl isobutyl ketone 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 toluene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 toluene 28 trichloroethylene 5.6 toluene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 toluene 28 trichloroethylene 5.6 toluene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 toluene 28 toluene 48 toluene 48 toluene 48 toluene 48		•		divadent non Cambo 1				
managed in CWA, CWA-equivalent, or Class I SDWA systems D004-D011 Non-wastewaters with heavy metals in mg/l: 268.41 arsenic 5.0 cadmium 1.0 lead 5.0 selenium 5.7 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 partial in mg/l: 268.41 barium 100 chromium 5.0 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 n-butyl alcohol 2.6 carbon tetrachloride 5.6 cresols (m,p) 3.2 cresols (o) 5.6 cresols (m,p) 3.2 cresols (m,p) 3.	D002			based on 261.22	DEAC	Г		
arsenic 5.0 cadmium 1.0 chromium 5.0 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 selenium 5.7 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cresols (m, p) 3.2 cresols (o) 5.6 ethyl acetate 33 ethyl ether 160 ethyl ether 160 methyl ethyl ketone 36 nitrobenzene 14 methyl ethyl ketone 36 nitrobenzene 14 methyl ethyl ketone 36 mitrobenzene 14 methyl ethyl ketone 36 mitrobenzene 14 methyl ethyl ketone 35 pyridine 16 toluene 28 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7					ems			
arsenic 5.0 cadmium 1.0 chromium 5.0 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 selenium 5.7 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cresols (m, p) 3.2 cresols (o) 5.6 ethyl acetate 33 ethyl ether 160 ethyl ether 160 methyl ethyl ketone 36 nitrobenzene 14 methyl ethyl ketone 36 nitrobenzene 14 methyl ethyl ketone 36 mitrobenzene 14 methyl ethyl ketone 36 mitrobenzene 14 methyl ethyl ketone 35 pyridine 16 toluene 28 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7	D	04-D011 Nov	n_wastawatare wil	h hoovy matole	in ma/li 2	68:41		•
cadmium 1.0 lead 5.0 selenium 5.7 mercury 0.20 (Low mercury subcategory-less than 260 mg/kg) silver 5.0 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160 n-butyl alcohol 2.6 carbon tetrachloride 5.6 cresols (m,p) 3.2 cresols (0) 5.6 ethyl acetate 33 nethyl ether 160 ethyl benzene 6.0 isobutanol 170 methyl ethyl ketone 36 nitrobenzene 14 methyl isobutyl ketone 33 methyl isobutyl ketone 33 nethylian 11,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7	20				in mg/1. 2	00.41		
Lead 5.0 selenium 5.7 silver 5.0 silver 5.0 silver 5.0			-					
selenium 5.7 silver 5.0 F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160			1.0 L		•		0.60 # \	•
F001-F005 Spent Solvents non-waste waters; maximum constituent concentration in mg/l: 268.43 acetone 160					ow mercury subc	category-less tha	n 260 mg/kg)	
acetone 160 carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 n. disulfide 4.8 circsols (m,p) 3.2 cresols (o) 5.6 1,2 dichlorobenzene 6.2 ethyl benzene 6.0 isobutanol 170 methyl ethyl ketone 36 nitrobenzene 14 n. disulfide 4.8 introbenzene 14 n. disulfide 4.8 introbenzene 15 n. disulfide 4.8 introbenzene 16 isobutanol 170 methylene chloride 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 introbenzene 5.6 introbenzene 5.6 introbenzene 5.6 introbenzene 18 introbenzene 19 introbenzene 33 introbenzene 19 introbenzene 6.0 intr			<u>-</u>			and the second of the second o	e de la companya de La companya de la co	
carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 33 1,1,2 trichloroethylene 5.6 F001-F005 Spent solvents non-waste carbon tetrachloride 5.6 cresols (m,p) 3.2 cresols (o) 5.6 1,2 dichlorobenzene 6.2 ethyl benzene 6.0 isobutanol 170 methylene chloride 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75	F001	F005 Spent	Solvents non-waste	waters; maxiun	aum constitue	ent concentra	tion in mg/l:	268.43
carbon disulfide 4.8 chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 33 1,1,2 trichloroethylene 5.6 F001-F005 Spent solvents non-waste carbon tetrachloride 5.6 cresols (m,p) 3.2 cresols (o) 5.6 1,2 dichlorobenzene 6.2 ethyl benzene 6.0 isobutanol 170 methylene chloride 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 trichloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75		Tacetone 160	0	n-butyl alc	obol 26			
chlorobenzene 5.7 cyclohexane .75 ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste carbon disulfide, 4.8 cyclohexanone, 0.75 cresols (m,p) 3.2 cresols (o) 5.6 1,2 dichlorobenzene 6.2 ethyl benzene 6.0 methyl ene chloride 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethylene 5.6 1,1,2 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7								
cyclohexane .75 cthyl acetate 33 cthyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 nitrobenzene 14 nitroblaroethane 5.6 trichlorofluoromethane 33 1,1,1 trichloroethane, 1,2,2 trifluroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 cresols (o) 5.6 1,2 dichlorobenzene 6.2 ethyl benzene 6.0 methyl ender 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 benzene, 3.7		_						
ethyl acetate 33 ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 nitrobenzene 14 nitrobenzene 14 nitrohorofluoromethane 33 nitrohorofluoromethane 33 nitrohorofluoromethane 33 nitrohorofluoromethane 33 nitrohorofluoromethane 33 nitrohorofluoromethane 33 nitrohorofluoromethane 35 nitrohorofluoromethane 36 nitrohorofluoromethane 37 nitrohorofluoromethane 38 nitrohorofluoromethane 30 nitrohorofluoromethane 33 notrohorofluoromethane 34 notrohorofluoromethane 35 notrohorofluoromethane 36 notrohorofluoromethane 37 notrohorofluoromethane 38 notro				· · · ·	• /			
ethyl ether 160 methanol .75 methyl ethyl ketone 36 nitrobenzene 14 1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 ethyl benzene 6.0 isobutanol 170 methyl ethyl ketone 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7		_						
methanol .75 methyl ethyl ketone 36 nitrobenzene 14 l,1,1 trichloroethane 5.6 trichlorofluoromethane 33 l,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 isobutanol 170 methylene chloride 33 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane concentration in mg/l: 268.41 268.43							1 % A 1	
nitrobenzene 14 1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 methyl isobutyl ketone 33 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7		methanol .7	75			* 55 S		
1,1,1 trichloroethane 5.6 trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 pyridine 16 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7		methyl ethy	yl ketone 36	methylene o	chloride 33			
trichlorofluoromethane 33 1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 toluene 28 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7				methyl isol	outyl ketone 33		7.e	
1,1,2 trichloroethane, 1,2,2 trifluroethane 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 trichloroethylene 5.6 xylene 28 1,1,2 trichloroethane, 7.6 benzene, 3.7				pyridine 16	•			
1,2,2 trifluroethane 28 xylene 28 tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8	-							
tetrachloroethylene 5.6 F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 1,1,2 trichloroethane, 7.6 benzene, 3.7			•		ylene 5.6			
F001-F005 Spent solvents non-waste waters; maximum constituent concentration in mg/l: 268.41 carbon disulfide, 4.8 cyclohexanone, 0.75 1,1,2 trichloroethane, 7.6 benzene, 3.7	1			xylene 28				
carbon disulfide, 4.8	ļ	tetrachloroe	thylene 5.6					
carbon disulfide, 4.8	F00	1-F005 Spent	solvents non-waste	waters: maxim	um constituer	it concentrati	on in ma/l.	268 41
cyclohexanone, 0.75 1,1,2 tricinoroeularie, 7.8					.*	it Concentrati	on in mali:	
			-					400.4J
								•
	· ·	memanol,	0.73		en e	ananan mendakan mendakan		

*Note: Retain one copy for your files, send one copy with your shipment Form Revised:8/93 KMG

EPA	Waste Codes Subcategory K002, K003, K004, K005, K007, K008, K071 K084, K100, U032, U136, U144, U204, U145, U146	Treatment Code	Treatment Standard 268.41
The Atlanta of Market of M	K006 (Anhydrous)	ing the state of t	268.41
	K006 (hydrated)		268.41
	F025 (Spent filters/aids & desiccant subcategory)		268.43
	F025 (Light end subcategory)	en e	268.43
	F006, F019, F037, F038, K001, K015, K021, K022, K028, K048, K049, K050, K051, K052, K083, K086 K087, U051	en e	268.41, 268.43
	K009, K010, K011, K013, K014, K016, K017 K018, K019, K020, K023, K024, K029, K030 K060, K073, K085, K093, K094, K095, K096 K097, K098, K099, K103, K104, K105, K111, K117, K118, K131, K132, K136	Algebra	268.43
	U002, U003, U004, U005, U009, U012, U018, U019 U022, U024, U025, U027, U028, U029, U030, U031 U036, U037, U039, U043, U044, U045, U047, U048 U050, U052, U063, U066, U067, U068, U069, U070, U071, U072, U075, U076, U077, U078, U079, U080, U081, U082, U083, U084, U088, U101, U102, U105,		268.43
	U106, U107, U108, U111, U112, U117, U118, U120, U121, U127, U128, U130, U131, U137, U138, U140, U141, U142, U152, U155, U157, U158, U159, U161, U162, U165, U169, U170, U172, U174, U179, U180, U181, U183, U185, U187, U188, U190, U192, U196, U203, U207, U208, U209, U210, U211, U220, U225,		
	U226, U227, U228, U235, U239, U240, U243, U129 K027, K113, K114, K115, K116	FSUBS, INCIN	268.42
11 (24) 2	U008, U016, U053, U055, U056, U057, U058, U064, U085, U087, U089, U090, U094, U113, U122, U123, U124, U125, U126, U147, U154, U223 U166, U182, U186, U197, U201, U213, U221, U248	FSUBS, INCIN	268.42
	U086, U098, U099, U103, U109, U160	FSUBS, CHOXD CHRED, INCIN	, 268.42
	K025, K026, U001, U007, U010,U011, U014, U015, U017, U021, U026, U034, U035, U038, U041, U042, U046, U049, U059, U062, U073, U074, U091, U092 U093, U095, U097, U110, U114, U116, U119, U132, U143, U148, U149, U150, U153, U156, U163, U164, U167, U168, U171, U173, U176, U177, U178, U184,	INCIN TO THE PROPERTY OF THE P	268.42
	U191, U193, U194, U200, U202, U206, U218, U219, U222, U236, U237, U238, U244	planting to some some some some some some some som	. • 4.

Form revised 8/93 K.

Land Disposal Restriction Notification Form

Generator Name	Douglas Alvers	It lan	Dune/	U	S EPA ID#	CADO865	10005
State Manifest Number	1 AD5257071			P	rofile #	9401-03	53
EPA Waste Codes	7000 CON 6	003 F	705, DO35				
EFA Waste Codes	DOD), 6002, 6	203, 10	os pous				
-							
-							
-					Freatability	Group	
_					Non-Wastew	ater	
· -							
							
EPA Su	ıbcategory		T	reatment	Code	Treatment	Standard
Waste Code	•			A Comment			
D001 All description	s based on 40 CFR 261.2	21, except f	or the	DEACT a		•	268.41
-	High TOC subcategory, n			F039; or			
	-CWA-equivalent/non-C		A systems.	RORGS;	or INCIN.		268.43
	is based on 40 CFR 261.2			DEACT			
	High TOC subcategory, r						
	ent, or Class I SDWA sys						
	is based on 40 CFR 261.2		ah TOC	FSIIRS:	RORGS, or		
				INCIN.	RORGE, G		
	ds Subcategory-Greater (man or equa	110 10%	Inclin.			
total organic ca			00	DEACT	and meet F0	20	268.41,
	and other subcategory ba			DEACT	and meet ro	39	268.43
	on-CWA/non-CWA-equi	valent/non-	Class I				200.75
SDWA system							
-	, and other subcategory b			DEACT			
managed in CV	VA, CWA-equivalent, or	Class I SDV	VA systems				
D004-D011 Nov	n-wastewaters with	heavy	metals in	mg/l· 268	2.41		
	ii-wastewaters with		metals in	Mg/1. 200			
arsenic 5	.0	barium	100				
cadmium	1.0	→ chromiu	m 5.0				
lead 5.0		mercury	0.20 (Low me	ercury subcat	egory-less than	1 260 mg/kg)	
selenium	5.7	silver 5.					
				way (Ne)			260.43
F001-F005 Spent	Solvents non-waste	waters;	maxiumum	constituen	t concentra	tion in mg/l	: 268.43
acetone 160	0	n-i	outyl alcohol 2	6			
carbon disu			bon tetrachlori				
chlorobenze			sols (m,p) 3.2	u c 3.0			
cyclohexan			sols (o) 5.6	60			
ethyl acetat			dichlorobenze				
ethyl ether			yl benzene 6.0				
methanol .7			butanol 170				
	yl ketone 36	≥ me	thylene chlorid	le 33			
nitrobenzen	ie 14	∠ me	thyl isobutyl k	tetone 33			
1,1,1 trichle	oroethane 5.6	pyr	idine 16				
trichloroflue	oromethane 33	tol	iene 28				
1,1,2 trichle			hloroethylene	56			
	uroethane 28		ene 28				
tetrachloroe		رم لاك					
	•						
F001-F005 Spent	solvents non-waste	waters;	maximum c	constituent	concentration	on in mg/l:	268.41
carbon dis	ulfide. 4.8	— 11	,2 trichloroeth	ane 76			268.43
cyclohexa			nzene, 3.7				
methanol,	· · · · · · · · · · · · · · · · · · ·		izene, 5.7				
inculation,			71 3 79-8			Display of week A	
	, diab menjebb jan					2	
-itote: Ketain o	one copy for your files	, send one	copy with y	our snipmei	nt Form Rev	vised:8/93 KM	G

*						
EPA	Waste Codes Subcategory K002, K003, K004, K005, K007, K008, K071 K084, K100, U032, U136, U144, U204, U145, U146	Treat	tment Co	ode	Treatment 268.41	Standar
	K006 (Anhydrous)				268.41	arran Z
***	K006 (hydrated)	e de la composición dela composición de la composición dela composición de la compos			268.41	
	F025 (Spent filters/aids & desiccant subcategory)				268.43	
	F025 (Light end subcategory)		•		268.43	
	F006, F019, F037, F038, K001, K015, K021, K022, K028, K048, K049, K050, K051, K052, K083, K086 K087, U051			. <u> </u>	268.41, 268.43	
-30 B	K009, K010, K011, K013, K014, K016, K017				268.43	
ay ye	K018, K019, K020, K023, K024, K029, K030 K060, K073, K085, K093, K094, K095, K096					
	K097, K098, K099, K103, K104, K105, K111, K117,				erakan ke	
	K118, K131, K132, K136					
	U002, U003, U004, U005, U009, U012, U018, U019	9			268.43	
	U022, U024, U025, U027, U028, U029, U030, U031 U036, U037, U039, U043, U044, U045, U047, U048					
	U050, U052, U063, U066, U067, U068, U069, U070.					
	U071, U072, U075, U076, U077, U078, U079, U080,					
	U081, U082, U083, U084, U088, U101, U102, U105, U106, U107, U108, U111, U112, U117, U118, U120,					
1 BH9	U121, U127, U128, U130, U131, U137, U138, U140,					
	U141, U142, U152, U155, U157, U158, U159, U161,					
	U162, U165, U169, U170, U172, U174, U179, U180, U181, U183, U185, U187, U188, U190, U192, U196,					
	U203, U207, U208, U209, U210, U211, U220, U225,					
	U226, U227, U228, U235, U239, U240, U243, U129			*		
	☐ K027, K113, K114, K115, K116		FSUE	s, incin	268.42	
	U008, U016, U053, U055, U056, U057, U058,		FSUI	BS, INCIN	268.42	
	U064, U085, U087, U089, U090, U094, U113,			Fyr er		v .
	U122, U123, U124, U125, U126, U147, U154, U223 U166, U182, U186, U197, U201, U213, U221, U248					
	U086, U098, U099, U103, U109,		FOUND	C** C ** D		
<u> </u>	U160		, ,	, CHOXD, , INCIN	268.42	
	K025, K026, U001, U007, U010,U011, U014, U015,			CIN	268.42	
	U017, U021, U026, U034, U035, U038, U041, U042.		_,		- 1	
	U046, U049, U059, U062, U073, U074, U091, U092 U093, U095, U097, U110, U114, U116, U119, U132,	$x = x_1 \cdot x$				
	U143, U148, U149, U150, U153, U156, U163, U164,					
	U167, U168, U171, U173, U176, U177, U178, U184.					
	U191, U193, U194, U200, U202, U206, U218, U219, U222, U236, U237, U238, U244			estephilis in the contract Season		
	0-22, 0230, 0237, 0230, 0244			orania. Savato esto esta esta		

Form revised 8/93 KM



SERVICE ORDER		<u> </u>	<u> 80</u>
JOB NO 24	0120	<u> </u>	
DATE 5	31.99	//	v.e

TRANSPORTATION SERVICE ORDER

	501 Pacheco Blvd. lartinez, CA 94553 510) 372-4800				Baker (805)	Patton W. sfield, CA 835-5801 589-4970	√93308 or		X	221 E. "D Wilmingto (310) 518	n, CA 9074
Custon	ner Name: <u>Doug</u>	AS	AIR	CRAFT		Te	lephone:				
Billing .	Address:			1		Co	ntact Person:				
City:			St	ate		вс)E #:				
lob Lo	cation: TORRANC	é C	4 4	LAKE	wood	CA De	stination: <i>Kine</i>	Co ·	- 131	ENTEN	, AKK
	f Material:					_	les Person:				
	ator:						A Number:				
	ator ID Number (Stat						cility EPA NO.:				
	al: LES Facility						stomer P.O. Torva	ne;	21064	1-H606	4
							#		#		
Sanic	st#es Performed P/ú	15	Jati	BAG	FROM	TORK	PANCE CA	to	RI	RINES	LE)
261 VIC	BENTON A	101	d	THE	Plu	- I U IX	eldrens 1	لم	1 AKS	- INANA	1 CA
	KINECO						ETURN TO				
TOP	MINECO	<u>(</u> ~	DEN	10,0	/1/C/C		e jupero je		7.9/~	<u> </u>	
	HERE				A*I		To	Ant Mail			
	liles: <u>45555</u>				files:						
Truck I	No.: 16005			_ Trailer	No:	4873		_			
Driver	Time: Start (AM/PM)				Stop (Al	<i>I</i> /РМ)		Gros	s Time		
Meals:	Start Time (AM/PM))			Stop (Al	//РМ)		Less	Time _		
					D -1 - 11	No. of Contract of					
Other '	Time				Detail	<u> </u>		Adj.	ı ime_		
		KE	C Startostatos K			o		•			
Driver'	s Name W. Fi	KE 374	CONTRACTOR (ADDINGUES AND ADDINGUES)		Driver N	0.	The second of th	Tota	I Time_	<u>,</u>	74
Driver'	s Name W. Fi	KE 274 094	CONTRACTOR (ADDINGUES AND ADDINGUES)		Driver N	0.	The second of th	Tota	I Time_	<u>,</u>	
Driver'	s Name W. Fi	KE 074 094	CONTRACTOR (ADDINGUES AND ADDINGUES)		Driver N	0.	The second of th	Tota	I Time_	<u>,</u>	
Driver'		KE 274 294 RAN	CONTRACTOR (ADDINGUES AND ADDINGUES)		Driver N	0.	The second of th	Tota	I Time_	<u>,</u>	
Oriver' Custor S Explar	s Name W, FI ner Site: Time In RAWC = Time Out iTi lation of Time: TOR OMER AUTHORIZA	074 094 RAN	5 15 ce s	SITE:	Driver N Disposa	o. Site: Tin Tir <u>いみ</u> が	ne In ne Out Befaile L	Tota Time Time	I Time_ In /A/A e Out S	ewcod JE = STARTO	2 J
Oriver' Custor S Explar	s Name W, FI ner Site: Time In <u>E</u> RAWC = Time Out _ iT = lation of Time: TOR	074 094 RAN	5 15 ce s	SITE:	Driver N Disposa I J HR SIGNATUR	o. I Site: Tin Tir WAIT E:ToRR	ne In ne Out Befaile L Ancé, CA R	Tota Time Time	I Time_ In /A/A e Out S	ewcod JE = STARTO	2 J
Oriver' Custor S Explar	S Name W. FI The Site: Time In _E CANCETIME Out pation of Time: TOR OMER AUTHORIZA G BEACH, CA	074 094 RAN	S 15 CE S	SITE:	Driver N Disposa	O	ne In ne Out Befaile L Ancé, CA R	Tota Time Time	I Time_ In /A/A e Out S	ewcod JE = STARTO	2 J
Driver' Custor S Explar CUSTO AND PROD CODE	S Name W. FI The Site: Time In _E RAWC Time Out _ The Site: Tim	7 9 4 8 9 4 RAN	S 15 CE S ND API	PROVAL	Driver N Disposa I J HR SIGNATUR	E: TORR	ne In ne Out BETWE L ANCE, CA R ONLY DESCRIPTION	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE	S Name W. FI The Site: Time In _E RANCE Time Out pation of Time: TOR OMER AUTHORIZA DESCRIPTION TRANS	7 9 4 8 9 4 RAN	ST	PROVAL	Driver N Disposa I J HR SIGNATUR	DI Site: Tin UAIT E: TORR UNTING C PROD CODE 24015	ne In ne Out BETWE L ANCE, CA R ONLY DESCRIPTION HAZ SOLIDS	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000	S Name W. FI ner Site: Time In _E CANCETime Out _ iTE nation of Time: TOR OMER AUTHORIZA CACH, CA DESCRIPTION TRANS TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	E: Tork	ne In ne Out BETWE L ANCE, CA R ONLY DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000	S Name W. FI The Site: Time In _E RANCE Time Out pation of Time: TOR OMER AUTHORIZA DESCRIPTION TRANS	7 4 2 9 4 RAN	ST	PROVAL	Driver N Disposa I J HR SIGNATUR	DI Site: Tin UAIT E: TORR UNTING C PROD CODE 24015	ne In ne Out BETSILE L ANCE, CA L ONLY DESCRIPTION HAZ SOLIDS HAZ LIQUIDS	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000	DESCRIPTION TRANS TRANS TRANS TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	O	ne In ne Out BETWEE L ANCE, CA L ONLY DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS HAZ LIQUIDS N/HAZ LIQUIDS DRUMS	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000 14000	DESCRIPTION TRANS TRANS TRANS 2ND DRIVER SUBHAULER LABOR	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	O	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000 14000 54045 94065	DESCRIPTION TRANS TRANS TRANS TRANS SUBHAULER LABOR BIN RENTAL	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DI Site: Tin UAII E: Tokk UNTING C PROD CODE 24015 24010 24020 24025 24025	DESCRIPTION HAZ SOLIDS HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000 14000 14000 54045 94065 14000	DESCRIPTION TRANS TRANS TRANS TRANS SUBHAULER LABOR BIN RENTAL TRANS (NO DISP)	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	O	DESCRIPTION HAZ SOLIDS HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO 14000	DESCRIPTION TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DI Site: Tin UAII E: Tokk UNTING C PROD CODE 24015 24010 24020 24025 24025	DESCRIPTION HAZ SOLIDS HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO 14000	DESCRIPTION TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	O	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES TAXES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO 14000	DESCRIPTION TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DI Site: Tin UAIT E: LORR UNTING C PROD CODE 24015 24010 24020 24025 24025 24025 34035	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES TAXES ANALYTICAL	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000 14000 14000 14000 14000 74055	DESCRIPTION TRANS	7 4 2 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	O	DNLY DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES TAXES ANALYTICAL MISC CHARGES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO PROD CODE 14000 14000 14000 14000 14000 14000 14000 14000 14000 14000 14000 14000 14000	DESCRIPTION TRANS	7 9 4 8 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DISITE: Tin UAII E: TORR UNTING CODE 24015 24010 24020 24025 24025 24025 34035 74055	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS N/HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES ANALYTICAL MISC CHARGES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
Driver' Custor S Explar CUSTO PROD CODE 14000	DESCRIPTION TRANS	7 9 4 8 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DISITE: Tin UAII E: TORR UNTING CODE 24015 24010 24020 24025 24025 24025 34035 74055	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS N/HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES ANALYTICAL MISC CHARGES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
CUSTO 14000	DESCRIPTION TRANS	7 9 4 8 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DISITE: Tin UAII E: TORR UNTING CODE 24015 24010 24020 24025 24025 24025 34035 74055	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS N/HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES ANALYTICAL MISC CHARGES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-3/-94
PROD CODE 14000 14000 14000 14000 14000 74055 90465 90465 90465 90465	DESCRIPTION TRANS	7 9 4 8 9 4 RAN	UOM ST OT	PROVAL	Driver N Disposa I J HR SIGNATUR	DISITE: Tin UAII E: TORR UNTING CODE 24015 24010 24020 24025 24025 24025 34035 74055	DESCRIPTION HAZ SOLIDS N/HAZ SOLIDS N/HAZ LIQUIDS N/HAZ LIQUIDS N/HAZ LIQUIDS DRUMS SOLID SURCHG STABILIZATION LIQ SURCHG TAXES ANALYTICAL MISC CHARGES	Tota Time Time c.A.d	I Time_ In /A/A Out S	ewood JE = STARTE	2 05-31-94